


BREAKTHROUGH TECHNOLOGY IN OIL SPILL REMOVAL

**SPILL PREVENTION AND RESPONSE PRODUCTS** 

OIL SPILL RESPONSE ABSORBENTS



UNIVERSAL INDUSTRIAL ABSORBENTS





SUPER ABSORPTIVE UNIVERSAL GRANULES



PRODUCTS FOR AUTO

SPILL PREVENTION SYSTEMS



SUPER ABSORPTIVE SPILL KITS



#### **CONTENTS**

•	About Green Ocean	3
•	Super Absorptive Green Ocean filler	6
•	Spill Prevention Systems	8
•	Spill Response Products	16
	Absorbent Booms	17
	Absorbent Pillows	19
	Absorbent Socks	23
	Universal Granulated Absorbent	27
	Spill Kits	31
	Products for Auto	36

#### **WELCOME TO GREEN OCEAN**

# KEEPING YOUR INDUSTRY AND NATURE SAFE

Green Ocean specializes in solutions for many environmental challenges: oil spills, land contamination and spill prevention.

GREEN OCEAN provides a full range of 100% eco-friendly products for spill control.

At the heart of all products is our unique patented filler – a revolutionary material made of natural fibers with nano reinforcement, which helps clean spills faster and more efficiently.

Green Ocean is a Dutch based company, with our corporate office located in Amsterdam. Production and R&D is in Riga, Latvia. Sales offices: the USA, Netherlands, Israel, Russia and Latvia.

#### International Patent # PCT/RU2016/000091.

Green Ocean absorbents are certified by CEDRE (Center of Documentation, Research and Experimentation on Accidental Water Pollution).

Production is ISO 9001/ISO 14001 certified.





#### **GREEN OCEAN**

## THE GAME CHANGER IS THE FILLER



REVOLUTIONARY ABSORBENT MADE OF NATURAL FIBERS WITH NANO REINFORCEMENT

## **ABSORBS MORE**

Green Ocean 20/3 boom absorbs

94 Ltrs



Polypropylene boom just

44

Ltrs

## **WORKS FASTER**

With Green Ocean products

99%

of the absorption takes place in the first 15 minutes



Typical synthetic absorbents soak up just 35%

# **LOWER DISPOSAL COSTS**

Use less and recover oil



Green Ocean absorbents can be reused up to 3 times and 95% of oil can be recovered

### **AMONG OUR CLIENTS**




































- HYDROCARBON OILS (FUELS, PETROL, DIESEL)
- WATER SOLUBLE OILS
- WATER
- MINERAL OILS
- HYDROCARBON SOLVENTS
- COOLANTS
- PAINTS
- ALCOHOLS
- DILUTE ALKALIS
- AGRICULTURAL CHEMICALS

<sup>\*</sup> for full list contact us via info@greenocean.nl

# **SPILL PREVENTION SYSTEMS**



THE SYSTEM EFFECTIVELY TRAPS OIL FROM CATASTROPHIC **SPILLS AND LEAKS** 


- Absorbs oil and protects ground
- Easy to install and remove
- 100% eco-friendly
- Repels water
- UV-protected

absorbs up to liters of oil

#### **FACE THE PROBLEM**

There may be as many as 2.5 million potentially contaminated sites across the main contaminants contributing **Europe**, which need to be investigated. around 60% to soil contamination.

Mineral oil and heavy metals are



https://www.recare-hub.eu/soil-threats/contamination

#### SPILL PREVENTION SHIELD — HOW IT WORKS

#### SPILL PREVENTION SHIELD - VERY EASY INSTALLATION






# in case of spill


- Hydrocarbons are fully absorbed by the Shield
- Fully compliment with 72 hours spill reaction policy









No equipment needed







the Shield

## before the spill

- Easy installation
- Doesn't cause second ground contamination
- Stays stable during maintenance procedures

#### **ABOVE GROUND STORAGE TANKS SPILL PREVENTION**



Gravel
Green Ocean Mat
Soil

Green Ocean Spill Prevention Shield holds oils inside keeping the ground clean

- Can be installed Greenfield or Brownfield
- Allows for full access to equipment as the system is designed for drivability
- Offered in different modifications

Product Type	Product ID	Dimensions (cm)	Weight (unit/kg)	Quantity (bag/bale)	Absorbency (I)
Spill Prevention Mat Standart	GOM 5	600 × 100 × 5	7,5	1	300
Spill Prevention Shield Heavy	GOM 10	300 × 100 × 10	15	1	300

#### **RAIL ROADS POLLUTION CONTROL**



## **Spill Prevention Railway Mat**

- 100% non-combustible hydrophobic mat
- Resistant to all weather conditions
- Easy to install and remove
- Used materials can be easily replaced
- Extremely long durability
- Reduce cleanup time and cost

Product Type	Product ID	Dimensions (cm)	Quantity (bag/bale)	Absorbency (I)	
Railway Mat	GORM	600 × 145 × 5	1	435	

#### **CONTAINMENT SYSTEM FOR ELECTRICAL UTILITIES**



Classic containment system creates a "swimming pool" of contaminated water that needs to be pumped out

- 100% non-combustible mat
- 100% hydrophobic
- Resistant to all weather conditions
- Easy to install and remove
- Used materials can be easily replaced



Product Type	Product ID	Dimensions (cm)	Weight (unit/kg)	Quantity (bag/bale)	Absorbency (I)
Spill Prevention Mat Standart	GOM 5	600 × 100 × 5	7,5	1	300
Spill Prevention Shield Heavy	GOM 10	300 × 100 × 10	15	1	300

#### **WIND TURBINES LEAKS PREVENTION**





Typical PP absorbent boom failed to absorb lubricant oil

Product Type	Product ID	Dimensions (cm)	Weight (unit/kg)	Quantity (bag/bale)	Absorbency (I)
Spill Prevention Mat Standart	GOM 5	600 × 100 × 5	7,5	1	300
Spill Prevention Shield Heavy	GOM 10	300 × 100 × 10	15	1	300

# **SPILL RESPONSE PRODUCTS**

# **ABSORBENT BOOMS**

## **Industries we serve:**





Manufacturing



**Automotive** 





Marine




Agribusiness






**Transport** 



- Your first line of defense in case of oil spill
- Very high absorption: 1 kg absorb up to 50 l of oil
- Fully saturated boom will not leak during replacement

## **ABSORBENT BOOMS**

■ Booms have links at both ends that can be hook together for any size spill





Product	Dimensions, cm	Quantity (bag/bale)	Absorbency per unit/ litre	Absorbency (box/litre)
GO 10/3.5-Oil	10 × 350 (Ø 10 cm)	4	27.5	110
G012.5/3-0il	12.5 × 300 (Ø 12.5 cm)	4	36	144
G020/3-0il	20 × 300 (Ø 20 cm)	4	94	376
G020/1.5-0il	20 × 150 (Ø 20 cm)	4	47	188
G020/5-0il	20 × 500 (Ø 20 cm)	5	157	785
GO 15/3-Oil	15 × 300 (Ø 15 cm)	4	53	212
GO8/5-Oil	8 × 50 (Ø 8 cm)	20	2.5	50

# **ABSORBENT PILLOWS**



- Offered in different size, shapes and colors
- Pillows have high capacity and fast-wicking filler to quickly soak up oils
- Light net weight ensures simple installation close to oil spill






# **ABSORBENT PILLOWS**

■ Use less to absorb more

■ Save on waste disposal





Typical PP Green Ocean pad GO100 pillow

Category	Product ID	Dimensions, cm	Quantity (bag/bale)	Absorbency per unit (liter)	Absorbency (box/litre)
	G0120U	45x 45	30	2	60
Universal	GO200U	30 x 45	30	5	150
Gray	GO300U	45x 40	20	10.5	210
	GO100U	30x 20	50	1.8	90
	G0120C	45x 45	30	2	60
Chemical	GO200C	30x 45	30	5	150
Yellow	GO300C	45x 40	20	10.5	210
	GO100C	30x 20	50	1.8	90
	G0120-0il	45x 45	30	2	60
Oil Only	GO200-Oil	30 x 45	30	5	150
(White/Blue)	GO300-Oil	45x 40	20	10.5	210
	G0100-0il	30x 20	50	1.8	90

# FIREPROOF MAT FOR FLAMMABLE CABINETS


- Fits perfectly to flammable cabinets to absorb spills and leaks
- Withstands temperature up to 1 200 Celsius
- Outer casing: basalt fabric
- Filler: mineral fibers
- Absorb oils, waterbased liquids, chemicals





Category	Product ID	Dimensions, mm	Quantity (bag/bale)	Absorbency per unit/litre	Absorbency (box/litre)
Fireproof mat	FPM1	103 × 307	6	2	12
Fireproof mat	FPM2	945 × 500	30	2.3	69

## **ABSORBENT SOCKS**



- Formable socks hug corners and surround machine bases to absorb machine leaks
- Green Ocean unique mineral filler ensures maximum absorbency



## **ABSORBENT SOCKS**



Co. Co.

Chemical

Oil Only





Universal

Oil Only 3m

#### **UNIVERSAL**:

- Suitable for most industrial applications
- Ideal under valves and for other dripping applications

#### **CHEMICAL**:

■ Absorb chemicals and acids

#### **OIL ONLY**


■ Absorbs oils, repels water



## **ABSORBENT SOCKS**

Socks are offered in two sizes to compile with any equipment:

- 120 cm to use anywhere
- 300 cm for big machine-tools







Category	Product ID	Dimensions, cm	Quantity (bag/bale)	Absorbency per unit/litre	Absorbency (box/litre)
Universal Sock	G08/1.2-U	8 × 120 (Ø 8 cm)	20	6	120
Gray	G08/3-U	8 × 300 (Ø 8 cm)	8	15	120
Chemical Sock	G08/1.2-C	8 × 120 (Ø 8 cm)	20	6	120
Yellow	G08/3-C	8 × 300 (Ø 8 cm)	8	15	120
Oil Only	G08/1.2-0il	8 × 120 (Ø 8 cm)	20	6	120
(White/Blue)	G08/3-0il	8 × 300 (Ø 8 cm)	8	15	120

## UNIVERSAL GRANULATED ABSORBENT





#### **FAST AND EASY WORK!**

Green Ocean products absorb any liquids within seconds! Light absorbent is easy to use. No need to carry heavy sacks with sand or sawdust



## NO MESS!

After a spill is absorbed, a floor is clean! No need to clean it with water



### **LESS DISPOSAL!**

When using sand, clay or sawdust a lot waste is created! With Green Ocean absorbents waste is minimized due to extreme absorption capacity

## **UNIVERSAL GRANULATED ABSORBENT**

**Absorbs**: Oils Gasoline Chemicals

- Very light absorbent
- Extremely absorptive
- Safe to use



GOGS0.5



GOGS3



GOGS1



GOGS10

Р	Product	Weight (unit/kg)	Quantity (pack)	Absorbency (unit/l)	Absorbency (pack/l)
G	OGS0.5	0.5	20	7	140
G	GOGS1	1	10	14	140
G	GOGS3	3	120	30	3 600
G	OGS10	10	40	100	4 000

## **CLEAN SPILLS SUPER FAST**

## For best results follow these simple recommendations:









# GRANULATED ABSORBENT FOR SMALL SPILLS «SORB & GO»




200 grams absorbs 3 liters!

- Convenient packaging for small spills in offices, garages, storages, laboratories
- Safe to use on most surfaces, including concrete, blacktop, turf, carpet, linoleum, tile and more
- Non-abrasive, will not damage equipment, machinery, tile or sealed hardwood floors
- Non-toxic. Safe for pets

Product	Product Weight (unit/kg)		Absorbency (unit/l)
Sorb&Go	0.2	20	3

## **SPILL KITS**



#### Universal

For oil, water-based and chemical liquids

## Oil Only

For oil and petroleum-based liquids

## Mixed (Universal & Oil Only)

■ For indoor/outdoor use

### STATIONARY SPILL KITS



- Keeps you prepared for massive spills
- Refillable light bags
- Very high absorption capacity of sorbents requires less products in the spill kit, which makes our kits super compact



500

liters

Product	Pillows	Absorption booms	Absorption socks		Granulated absorbent, kg	Absorbent Rags 10 kg	Total Weight (kg)	Dimentions (cm)	Absorbency (I)
Spill Kit 300	15	8	3	-	3	-	15	60 × 60	300
Spill Kit 500	10	8	4	-	6	1	50	90 ×70 × 90	500
Spill Kit 750	-	16	12	365	3	1	150	100 ×120 × 80	750


### **PORTABLE SPILL KITS**



Compact kits fit in any car, garage or a boat

Pillows

- Reusable bags
- Portable carry to spill



90 ×70 × 90

40

Kits contain a personal safety equipment to protect workers from hazardous chemicals during clean-up process

Kits contain a personal safety equipment to protect workers from hazardous chemicals during clean-up process

## LIFEBUOY FOR ALL SPILLS



Yes, it round!

So just hang to the visible place,

so you don't spend time looking for it in case of emergency spill

### LIFEBUOY FOR SPILLS

#### **Green Ocean's TWO-IN-ONE solution!**

- Unhook it to use it as a sock
- Open the side zipper pocket to use absorbent pillows

## LIFEBUOY FOR ANY SPILL









**UNIVERSAL** 

Absorbs waterbased oil-based liquids

**CHEMICAL** 

Absorbs chemicals

**OIL ONLY** 

Absorbs all kind of oils

Product	Pillow	Sock	Weight (kg)	Size (cm)	Absorbency (I)
Lifebuoy 20L	8	1	0,63	10 × 120	20

### LIFEBUOY FOR MAJOR SPILLS









UNIVERSAL

Absorbs water-based oil-based liquids

CHEMICAL


Absorbs chemicals

OIL ONLY

Absorbs all kind of oils

Product	Pillow GO200	Pillow GO100	Sock	Weight (kg)	Size (cm)	Absorbency (I)
Lifebuoy 50L	4	8	3	4	13 × 300	50

# **PRODUCTS FOR AUTO**



- Absorbents for personal use
- Keep car clean from oils and dirt
- 100% eco-product. Non-harmful for nature and people

## **CAR ABSORBENT RAG**

- Keeps floor of a car clean from mud
- Absorbs any kind of liquids
- Perfectly fits in any trunk keeping it clean





# **SORB & GO PILLOW**

- Keeps your hands clean
- Absorbs any kind of liquids
- Keep it handy in your car in case of small spills







## KEEP YOUR INDUSTRY SAFE FROM SPILLS!

#### **HEADQUARTERS**

Cuserstraat 93, 2nd floor, 1081 CN, Amsterdam, Netherlands, +31 20 8943761

#### **PRODUCTION FACILITIES**

Mazcenu aleja 41B., Marupes nov. Jaunmarupe LV-2166, Latvia

www.greenocean.nl info@greenocean.nl